



- 1. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.
- 2. USE FIGURED DIMENSIONS ONLY. DO NOT SCALE. 3. DRAWINGS TO BE READ IN CONJUNCTION WITH ALL RELEVANT PROJECT BRIEFS, SPECIFICATIONS, PRICING DOCUMENTS & 'SAFE ROUTES TO SCHOOL' GUIDANCE.
- 4. CONTRACTOR TO ALLOW FOR SITE SETUP, STORAGE COMPOUND & ALL ANCILLARY MEASURES
- NECESSARY TO CARRY OUT THE WORKS 5. CONTRACTOR TO UNDERTAKE ROLE OF PROJECT SUPERVISOR CONSTRUCTION STAGE (PSCS).
- 6. CONTRACTOR TO MAINTAIN VEHICULAR THROUGH ACCESS ALONG ROAD AT ALL TIMES FOR THI
- PATRONS AT ALL TIMES FOR THE DURATION OF THE WORKS. 8. TEMPORARY DELINEATED WALKWAYS TO BE INSTALLED BY CONTRACTOR THROUGHOUT WORKS
- AREA AS NECESSARY TO ENSURE PEDESTRIAN ACCESS AND SAFETY FOR DURATION OF WORKS.
- 9. CONTRACTOR TO ALLOW FOR ALL TRAFFIC MANAGEMENT PLANS, ARRANGEMENTS AND **OBTAINING ROAD OPENING LICENSES AS NECESSARY**

- OTHER SURVEY INFORMATION. 12. ALL WORKS TO BE CARRIED OUT IN ACCORDANCE WITH CURRENT BUILDING REGULATIONS.
- 13. TACTILE PAVING TO BE INSTALLED IN ACCORDANCE WITH GUIDANCE ON THE USE OF TACTILE
- 14. KERBS, FOOTWAYS AND PAVED AREAS TO BE IN ACCORDANCE WITH TII PUBLICATIONS FOOTWAY
- 15. ALL SIGNAGE AND ROAD MARKINGS TO BE IN ACCORDANCE WITH THE TRAFFIC SIGNS MANUAL. 16. ROAD MARKINGS TO ALSO BE IN ACCORDANCE WITH IS EN 1436 EUROPEAN STANDARD FOR ROAD
- 17. PRECAST CONCRETE GULLEYS AND COVER SLABS SHALL BE TO IS EN 1917 OR BS 5911-6.
- 18. ALL NEW / REPLACEMENT MANHOLE COVERS & GULLEY GRATES TO LOADING CLASS D400.
- SURFACE WATER DRAINAGE PIPEWORK. 20. CONTRACTOR TO ALLOW FOR ALTERATIONS TO EXISTING BOUNDARY BOXES, WATER METERS
- HYDRANTS, SLUICE VALVES & SCOUR VALVES WITHIN WORKS AREA. 21. CONTRACTOR TO ENSURE DUCTING FOR NEW PUBLIC LIGHTING COLUMNS TO BE INSTALLED IN ACCORDANCE WITH ELECTRICAL SPECIALIST SPECIFICATION.
- 22. CONTRACTOR TO INSTALL POTS IN CONCRETE SURROUND TO SPECIALIST SPECIFICATION AT ALL LOCATIONS DENOTED ON DRAWING FOR PUBLIC LIGHTING COLUMNS.
- 23. CONTRACTOR TO FACILITATE SPECIALIST IN THE INSTALLATION OF PUBLIC LIGHTING COLUMNS & ASSOCIATED ELECTRICAL WIRING WORKS.
- 24. SURFACING OF FOOTPATHS TO BE CARRIED OUT AFTER COMPLETION OF ELECTRICAL WORKS.
- 25. JOINTS TO BE PROVIDED IN CONCRETE FOOTPATHS TO ACCOMMODATE HORIZONTAL MOVEMENT DUE TO CHANGES IN TEMPERATURE & MOISTURE CONTENT.
- 26. ON COMPLETION, CONTRACTOR TO ALLOW FOR MAKING GOOD TO ALL AREAS AFFECTED BY THE

Revision	Description of Changes Made	Ву	Date



## CLARE COUNTY COUNCIL Road Design Office, Áras Contae an Chláir, New Road, Ennis, Co. Clare

T: 065 6821616 F: 065 68 21915 E: rdo@clarecoco.ie W: www.clarecoco.ie

Safe Routes to School Programme Holy Family School, Ennis

Phase 1 - Friars Walk School Zone Layout

Status:	DRAFT	Drawing No.:	Rev:
Designed by:	AC	D 0000 70 00 004 00 00 000	
Drawn by:	NM	R.2023.70.09.024.03.03-003	-
Checked by:			
Approved by:		Location:	
Scale:	1:250 @ A1 W:\70.0 Active Travel 2021\70.09 Active Travel Project De 2021\70.09.024 - Safe Routes To Schools Programme		

2023-07-03 \70.09.24.03 - Holy Family NS\70.09.024.03.03 Design